


CROSS-SECTION PLAN OF BUILDING IN THE PHASE

期數中的建築物的橫截面圖


Cross-Section Plan A-A
橫截面圖 A-A



----- Dotted line denotes the lowest residential floor of the building in the Phase.

△ or ▽ denotes height (in metres) above the Hong Kong Principal Datum.

The part of Beacon Peak Drive (Emergency Vehicular Access) adjacent to the building is 134.30 metres to 135.41 metres above the Hong Kong Principal Datum.



KEY PLAN
指示圖

----- Boundary Line of the Development
發展項目的界線

----- 虛線代表期數建築物之最低住宅樓層水平。


△或▽ 代表香港主水平基準以上的高度（米）。

毗連建築物的一段畢峰徑(緊急車輛通道)為香港主水平基準以上134.30米至135.41米。

CROSS-SECTION PLAN OF BUILDING IN THE PHASE

期數中的建築物的橫截面圖

Cross-Section Plan B-B
橫截面圖 B-B



--- Dotted line denotes the lowest residential floor of the building in the Phase.


△ or ▽ denotes height (in metres) above the Hong Kong Principal Datum.

The part of Beacon Peak Drive (Emergency Vehicular Access) adjacent to the building is 135.68 metres to 137.66 metres above the Hong Kong Principal Datum.

--- 虛線代表期數建築物之最低住宅樓層水平。

△或▽ 代表香港主水平基準以上的高度（米）。

毗連建築物的一段畢峰徑(緊急車輛通道)為香港主水平基準以上135.68米至137.66米。




KEY PLAN
指示圖

--- Boundary Line of the Development
發展項目的界線

CROSS-SECTION PLAN OF BUILDING IN THE PHASE

期數中的建築物的橫截面圖

Cross-Section Plan C-C
橫截面圖 C-C



--- Dotted line denotes the lowest residential floor of the building in the Phase.

△ or ▽ denotes height (in metres) above the Hong Kong Principal Datum.

The part of Beacon Peak Drive (Emergency Vehicular Access) adjacent to the building is 139.20 metres to 141.36 metres above the Hong Kong Principal Datum.



KEY PLAN
指示圖

--- Boundary Line of the Development
發展項目的界線

--- 虛線代表期數建築物之最低住宅樓層水平。



△或▽ 代表香港主水平基準以上的高度（米）。

毗連建築物的一段畢峰徑(緊急車輛通道)為香港主水平基準以上139.20米至141.36米。

CROSS-SECTION PLAN OF BUILDING IN THE PHASE

期數中的建築物的橫截面圖

Cross-Section Plan D-D
橫截面圖 D-D



KEY PLAN
指示圖

----- Boundary Line of the Development
發展項目的界線

----- Dotted line denotes the lowest residential floor of the building in the Phase.

△ or ▽ denotes height (in metres) above the Hong Kong Principal Datum.

The part of Beacon Peak Drive (Emergency Vehicular Access) adjacent to the building is 149.05 metres above the Hong Kong Principal Datum.

----- 虛線代表期數建築物之最低住宅樓層水平。


△或▽ 代表香港主水平基準以上的高度（米）。

毗連建築物的一段畢峰徑(緊急車輛通道)為香港主水平基準以上149.05米。

CROSS-SECTION PLAN OF BUILDING IN THE PHASE

期數中的建築物的橫截面圖

Cross-Section Plan E-E
橫截面圖 E-E




----- Dotted line denotes the lowest residential floor of the building in the Phase.

△ or ▽ denotes height (in metres) above the Hong Kong Principal Datum.

The part of Beacon Peak Drive (Emergency Vehicular Access) adjacent to the building is 140.23 metres to 142.50 metres above the Hong Kong Principal Datum.

The part of Emergency Vehicular Access adjacent to the building is 149.05 metres above the Hong Kong Principal Datum.



KEY PLAN
指示圖

----- Boundary Line of the Development
發展項目的界線

----- 虛線代表期數建築物之最低住宅樓層水平。

△或▽ 代表香港主水平基準以上的高度（米）。


毗連建築物的一段畢峰徑(緊急車輛通道)為香港主水平基準以上140.23米至142.50米。

毗連建築物的一段緊急車輛通道為香港主水平基準以上149.05米。

CROSS-SECTION PLAN OF BUILDING IN THE PHASE

期數中的建築物的橫截面圖

Cross-Section Plan F-F
橫截面圖 F-F




--- Dotted line denotes the lowest residential floor of the building in the Phase.

△ or ▽ denotes height (in metres) above the Hong Kong Principal Datum.

The part of Beacon Peak Drive (Emergency Vehicular Access) adjacent to the building is 142.50 metres above the Hong Kong Principal Datum.

The part of Emergency Vehicular Access adjacent to the building is 147.26 metres above the Hong Kong Principal Datum.




--- 虛線代表期數建築物之最低住宅樓層水平。

△或▽ 代表香港主水平基準以上的高度（米）。

毗連建築物的一段畢峰徑(緊急車輛通道)為香港主水平基準以上142.50米。

毗連建築物的一段緊急車輛通道為香港主水平基準以上147.26米。

Cross-Section Plan G-G
橫截面圖 G-G



— · — · — Dotted line denotes the lowest residential floor of the building in the Phase.

△ or ▽ denotes height (in metres) above the Hong Kong Principal Datum.

The part of Emergency Vehicular Access adjacent to the building is 145.36 metres above the Hong Kong Principal Datum.

The part of Beacon Peak Drive (Emergency Vehicular Access) adjacent to the building is 132.19 metres to 132.50 metres above the Hong Kong Principal Datum.

The part of Emergency Vehicular Access adjacent to the building is 149.20 metres above the Hong Kong Principal Datum.

The part of Yin Ping Road adjacent to the building is 132.03 metres above the Hong Kong Principal Datum.

—●— 虛線代表期數建築物之最低住宅樓層水平。

△或▽ 代表香港主水平基準以上的高度（米）。

毗連建築物的一段緊急車輛通道為香港主水平基準以上145.36米。

毗連建築物的一段畢峰徑(緊急車輛通道)為香港主水平基準以上132.19米至132.50米。

毗連建築物的一段緊急車輛通道為香港主水平基準以上149.20米。

毗連建築物的一段延坪道為香港主水平基準以上132.03米。