


2/F Floor Plan  
2樓樓面平面圖



Scale 比例: 0 1 2 5m

Note : The dimensions of the floor plan are all structural dimensions in millimeter.  
備註：平面圖所列之數字為以毫米標示之建築結構尺寸。

## FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

### 發展項目的住宅物業的樓面平面圖

| Each of the Residential Property<br>每個住宅物業                                                                                                                                                                                          | Floor<br>樓層 | Unit 單位                                  |                                          |                                          |                                          |                                          |                                          |                                          |                                          |                                          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|------------------------------------------|
|                                                                                                                                                                                                                                     |             | A                                        | B                                        | C                                        | D                                        | E                                        | F                                        | G                                        | H                                        | J                                        |
| Thickness of the floor slabs (excluding plaster)(mm)<br>樓板(不包括灰泥)的厚度(毫米)                                                                                                                                                            | 2/F<br>2樓   | 125, 150                                 | 125, 150                                 | 125, 150                                 | 125, 150                                 | 125, 150                                 | 125, 150                                 | 125, 150                                 | 125                                      | 125                                      |
| Floor-to-floor height<br>(refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor)(mm)<br>層與層之間的高度<br>(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) |             | 3475,<br>3450,<br>3400,<br>3200,<br>3100 | 3475,<br>3450,<br>3400,<br>3200,<br>3100 | 3475,<br>3450,<br>3400,<br>3200,<br>3100 | 3475,<br>3450,<br>3400,<br>3200,<br>3100 | 3475,<br>3450,<br>3400,<br>3200,<br>3100 | 3475,<br>3450,<br>3400,<br>3200,<br>3100 | 3475,<br>3450,<br>3400,<br>3200,<br>3100 | 3475,<br>3450,<br>3400,<br>3200,<br>3100 | 3475,<br>3450,<br>3400,<br>3200,<br>3100 |

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
(Note: This statement does not apply to the residential proprieties in the Development because the design of the Development is such that the reducing thickness of the structural walls of residential properties on the upper floors does not increase the internal area of those residential properties.)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

(備註：不適用於發展項目內的住宅物業，因為發展項目的設計是較高樓層的住宅物業的結構牆的厚度遞減不會增加該等住宅物業的內部面積。)

#### Notes :

- Please refer to page 20 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan and the explanatory notes that are applicable thereto.
- 4/F, 13/F, 14/F and 24/F are omitted.

#### 備註：


- 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書20頁。
- 不設4樓、13樓、14樓及24樓。

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

## 發展項目的住宅物業的樓面平面圖

### 3/F and 5/F - 10/F Floor Plan

#### 3樓及5樓至10樓 樓面平面圖



Note : The dimensions of the floor plan are all structural dimensions in millimeter.  
 備註 : 平面圖所列之數字為以毫米標示之建築結構尺寸。

## FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

### 發展項目的住宅物業的樓面平面圖

| Each of the Residential Property<br>每個住宅物業                                                                                                                                                                                          | Floor<br>樓層                 | Unit 單位                         |                                 |                        |                                 |                                 |                        |                        |                                 |                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|---------------------------------|---------------------------------|------------------------|---------------------------------|---------------------------------|------------------------|------------------------|---------------------------------|---------------------------------|
|                                                                                                                                                                                                                                     |                             | A                               | B                               | C                      | D                               | E                               | F                      | G                      | H                               | J                               |
| Thickness of the floor slabs (excluding plaster)(mm)<br>樓板(不包括灰泥)的厚度(毫米)                                                                                                                                                            | 3/F and 5/F-9/F<br>3樓及5樓至9樓 | 125, 150                        | 125, 150                        | 125, 150               | 125, 150                        | 125, 150                        | 125, 150               | 125, 150               | 125                             | 125                             |
| Floor-to-floor height<br>(refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor)(mm)<br>層與層之間的高度<br>(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) |                             | 3450,<br>3400,<br>3200,<br>3100 | 3450,<br>3400,<br>3200,<br>3100 | 3450,<br>3400,<br>3100 | 3450,<br>3400,<br>3200,<br>3100 | 3450,<br>3400,<br>3200,<br>3100 | 3450,<br>3400,<br>3100 | 3450,<br>3400,<br>3100 | 3450,<br>3400,<br>3200,<br>3100 | 3450,<br>3400,<br>3200,<br>3100 |
| Thickness of the floor slabs (excluding plaster)(mm)<br>樓板(不包括灰泥)的厚度(毫米)                                                                                                                                                            | 10/F<br>10樓                 | 125, 150                        | 125, 150                        | 125, 150               | 125, 150                        | 125, 150                        | 125, 150               | 125, 150               | 125                             | 125                             |
| Floor-to-floor height<br>(refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor)(mm)<br>層與層之間的高度<br>(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) |                             | 3450,<br>3400,<br>3200,<br>3100 | 3450,<br>3400,<br>3200,<br>3100 | 3450,<br>3400,<br>3100 | 3450,<br>3400,<br>3200,<br>3100 | 3450,<br>3400,<br>3200,<br>3100 | 3450,<br>3400,<br>3100 | 3450                   | 3450,<br>3400,<br>3100          | 3450,<br>3400,<br>3200,<br>3100 |

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
(Note: This statement does not apply to the residential properties in the Development because the design of the Development is such that the reducing thickness of the structural walls of residential properties on the upper floors does not increase the internal area of those residential properties.)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

(備註：不適用於發展項目內的住宅物業，因為發展項目的設計是較高樓層的住宅物業的結構牆的厚度遞減不會增加該等住宅物業的內部面積。)

#### Notes :

1. Please refer to page 20 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan and the explanatory notes that are applicable thereto.

2. 4/F, 13/F, 14/F and 24/F are omitted.

備註：

1. 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書20頁。


2. 不設4樓、13樓、14樓及24樓。



# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

## 發展項目的住宅物業的樓面平面圖

11/F Floor Plan  
11樓 樓面平面圖



Note : The dimensions of the floor plan are all structural dimensions in millimeter.  
備註 : 平面圖所列之數字為以毫米標示之建築結構尺寸。

## FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

### 發展項目的住宅物業的樓面平面圖

| Each of the Residential Property<br>每個住宅物業                                                                                                                                                                                          | Floor<br>樓層 | Unit 單位                         |                                 |                        |                                 |                                 |                        |                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------------------------|---------------------------------|------------------------|---------------------------------|---------------------------------|------------------------|---------------------------------|
|                                                                                                                                                                                                                                     |             | A                               | B                               | C                      | D                               | E                               | F                      | G                               |
| Thickness of the floor slabs (excluding plaster)(mm)<br>樓板(不包括灰泥)的厚度(毫米)                                                                                                                                                            | 11/F<br>11樓 | 125, 150                        | 125, 150                        | 125, 150               | 125, 150                        | 125, 150                        | 125, 150               | 125                             |
| Floor-to-floor height<br>(refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor)(mm)<br>層與層之間的高度<br>(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) |             | 3450,<br>3400,<br>3200,<br>3100 | 3450,<br>3400,<br>3200,<br>3100 | 3450,<br>3400,<br>3100 | 3450,<br>3400,<br>3200,<br>3100 | 3450,<br>3400,<br>3200,<br>3100 | 3450,<br>3400,<br>3100 | 3450,<br>3400,<br>3200,<br>3100 |

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
(Note: This statement does not apply to the residential properties in the Development because the design of the Development is such that the reducing thickness of the structural walls of residential properties on the upper floors does not increase the internal area of those residential properties.)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

(備註：不適用於發展項目內的住宅物業，因為發展項目的設計是較高樓層的住宅物業的結構牆的厚度遞減不會增加該等住宅物業的內部面積。)

#### Notes :

1. Please refer to page 20 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan and the explanatory notes that are applicable thereto.
2. 4/F, 13/F, 14/F and 24/F are omitted.

備註：

1. 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書20頁。
2. 不設4樓、13樓、14樓及24樓。


# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

## 發展項目的住宅物業的樓面平面圖

### 12/F, 15/F-23/F and 25/F-27/F Floor Plan

### 12樓、15樓至23樓及25樓至27樓

### 樓面平面圖



## FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

### 發展項目的住宅物業的樓面平面圖

| Each of the Residential Property<br>每個住宅物業                                                                                                                                                                                                | Floor<br>樓層                                                 | Unit 單位                         |                                 |                        |                                 |                                 |                        |                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|---------------------------------|---------------------------------|------------------------|---------------------------------|---------------------------------|------------------------|---------------------------------|
|                                                                                                                                                                                                                                           |                                                             | A                               | B                               | C                      | D                               | E                               | F                      | G                               |
| Thickness of the floor slabs (excluding plaster)(mm)<br>樓板(不包括灰泥)的厚度(毫米)                                                                                                                                                                  | 12/F, 15/F-23/F<br>and 25/F-26/F<br>12樓、15樓至23樓及<br>25樓至26樓 | 125, 150                        | 125, 150                        | 125, 150               | 125, 150                        | 125, 150                        | 125, 150               | 125                             |
| Floor-to-floor height<br>(refers to the height between the top surface of the structural<br>slab of a floor and the top surface of the<br>structural slab of its immediate upper floor)(mm)<br>層與層之間的高度<br>(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) |                                                             | 3450,<br>3400,<br>3200,<br>3100 | 3450,<br>3400,<br>3200,<br>3100 | 3450,<br>3400,<br>3100 | 3450,<br>3400,<br>3200,<br>3100 | 3450,<br>3400,<br>3200,<br>3100 | 3450,<br>3400,<br>3100 | 3450,<br>3400,<br>3200,<br>3100 |
| Thickness of the floor slabs (excluding plaster)(mm)<br>樓板(不包括灰泥)的厚度(毫米)                                                                                                                                                                  | 27/F<br>27樓                                                 | 125, 450, 750                   | 125, 750                        | 125, 450, 750          | 125, 450, 750                   | 125, 750                        | 125, 450, 750          | 125, 750                        |
| Floor-to-floor height<br>(refers to the height between the top surface of the structural<br>slab of a floor and the top surface of the<br>structural slab of its immediate upper floor)(mm)<br>層與層之間的高度<br>(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) |                                                             | 4000,<br>3700, 3450             | 4000, 3450                      | 4000,<br>3700, 3450    | 4000,<br>3700, 3450             | 4000                            | 4000,<br>3700, 3450    | 4000, 3450                      |

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
(Note: This statement does not apply to the residential properties in the Development because the design of the Development is such that the reducing thickness of the structural walls of residential properties on the upper floors does not increase the internal area of those residential properties.)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

(備註：不適用於發展項目內的住宅物業，因為發展項目的設計是較高樓層的住宅物業的結構牆的厚度遞減不會增加該等住宅物業的內部面積。)

#### Notes :

1. Please refer to page 20 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan and the explanatory notes that are applicable thereto.

2. 4/F, 13/F, 14/F and 24/F are omitted.

備註：

1. 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書20頁。

2. 不設4樓、13樓、14樓及24樓。




# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

## 發展項目的住宅物業的樓面平面圖

### 28/F Floor Plan

### 28樓 樓面平面圖



Note : The dimensions of the floor plan are all structural dimensions in millimeter.  
 備註 : 平面圖所列之數字為以毫米標示之建築結構尺寸。

## FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

### 發展項目的住宅物業的樓面平面圖

| Each of the Residential Property<br>每個住宅物業                                                                                                                                                                                          | Floor<br>樓層 | Unit 單位       |      |          |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------|------|----------|------|
|                                                                                                                                                                                                                                     |             | A             | B    | C        | D    |
| Thickness of the floor slabs (excluding plaster)(mm)<br>樓板(不包括灰泥)的厚度(毫米)                                                                                                                                                            | 28/F<br>28樓 | 125, 150, 200 | 150  | 125, 150 | 150  |
| Floor-to-floor height<br>(refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor)(mm)<br>層與層之間的高度<br>(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) |             | 3450          | 3450 | 3450     | 3450 |

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
(Note: This statement does not apply to the residential properties in the Development because the design of the Development is such that the reducing thickness of the structural walls of residential properties on the upper floors does not increase the internal area of those residential properties.)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

(備註：不適用於發展項目內的住宅物業，因為發展項目的設計是較高樓層的住宅物業的結構牆的厚度遞減不會增加該等住宅物業的內部面積。)

#### Notes:

1. Please refer to page 20 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan and the explanatory notes that are applicable thereto.
2. 4/F, 13/F, 14/F and 24/F are omitted.

#### 備註：


1. 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書20頁。
2. 不設4樓、13樓、14樓及24樓。

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

## 發展項目的住宅物業的樓面平面圖

### 29/F Floor Plan

### 29樓 樓面平面圖



Scale 比例: 0 1 2 5m

Note : The dimensions of the floor plan are all structural dimensions in millimeter.  
備註 : 平面圖所列之數字為以毫米標示之建築結構尺寸。

## FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

### 發展項目的住宅物業的樓面平面圖

| Each of the Residential Property<br>每個住宅物業                                                                                                                                                                                          | Floor<br>樓層 | Unit 單位       |            |                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------|------------|------------------|
|                                                                                                                                                                                                                                     |             | A             | B          | D                |
| Thickness of the floor slabs (excluding plaster)(mm)<br>樓板(不包括灰泥)的厚度(毫米)                                                                                                                                                            | 29/F<br>29樓 | 150, 200, 300 | 150, 300   | 150, 250, 300    |
| Floor-to-floor height<br>(refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor)(mm)<br>層與層之間的高度<br>(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) |             | 3450, 3600    | 3450, 3600 | 3450, 3600, 3750 |

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
(Note: This statement does not apply to the residential properties in the Development because the design of the Development is such that the reducing thickness of the structural walls of residential properties on the upper floors does not increase the internal area of those residential properties.)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。  
(備註：不適用於發展項目內的住宅物業，因為發展項目的設計是較高樓層的住宅物業的結構牆的厚度遞減不會增加該等住宅物業的內部面積。)

#### Notes :

1. Please refer to page 20 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan and the explanatory notes that are applicable thereto.
2. 4/F, 13/F, 14/F and 24/F are omitted.

#### 備註：


1. 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書20頁。
2. 不設4樓、13樓、14樓及24樓。

# FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

## 發展項目的住宅物業的樓面平面圖

### Roof Floor Plan

### 天台 樓面平面圖



Scale 比例: 0 1 2 5m

Note : The dimensions of the floor plan are all structural dimensions in millimeter.  
備註 : 平面圖所列之數字為以毫米標示之建築結構尺寸。



## FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

### 發展項目的住宅物業的樓面平面圖

| Each of the Residential Property<br>每個住宅物業                                                                                                                                                                                          | Floor<br>樓層 | Unit 單位               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------|
| Thickness of the floor slabs (excluding plaster)(mm)<br>樓板(不包括灰泥)的厚度(毫米)                                                                                                                                                            | Roof<br>天台  | Not Applicable<br>不適用 |
| Floor-to-floor height<br>(refers to the height between the top surface of the structural slab of a floor and the top surface of the structural slab of its immediate upper floor)(mm)<br>層與層之間的高度<br>(指該樓層之石屎地台面與上一層石屎地台面之高度距離)(毫米) |             | Not Applicable<br>不適用 |

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.  
(Note: This statement does not apply to the residential properties in the Development because the design of the Development is such that the reducing thickness of the structural walls of residential properties on the upper floors does not increase the internal area of those residential properties.)

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

(備註：不適用於發展項目內的住宅物業，因為發展項目的設計是較高樓層的住宅物業的結構牆的厚度遞減不會增加該等住宅物業的內部面積。)

#### Notes:

- Please refer to page 20 of this Sales Brochure for legend of the terms and abbreviations used on the floor plan and the explanatory notes that are applicable thereto.
- 4/F, 13/F, 14/F and 24/F are omitted.

備註：

- 樓面平面圖中所使用名詞及簡稱之圖例及其適用的備註，請參閱本售樓說明書20頁。
- 不設4樓、13樓、14樓及24樓。