

Legend of terms and abbreviations used on the floor plans**樓面平面圖中所使用名詞及簡稱之圖例**

AC UNIT	= Air-conditioner Unit	= 冷氣機	CANOPY	= Canopy	= 簷篷
AC UNIT:T*-^F	= Air-conditioner Unit: Unit %, ^/F, Tower*	= 冷氣機：第*座^樓%單位	CANOPY LINE ABOVE	= Canopy Line Above	= 簷篷線置上
AC UNITS	= Air-conditioner Units	= 冷氣機	COMMON ROOF	= Common Roof	= 公用天台
AC UNIT:T*-GF-LOBBY	= Air-conditioner Unit: Tower*-G/F-Lobby	= 冷氣機：第*座-地下-大堂	COMMON ROOF (REFUGE ROOF)	= Common Roof (Refuge Roof)	= 公用天台(天台底護處)
AC UNIT:T*-^F	= Air-conditioner Unit: ^/F, Tower*	= 冷氣機：第*座^樓	DIN.	= Dining Room	= 飯廳
ALUM.	= Aluminium	= 鋁	DN	= Down	= 落
ALUM. FIN.	= Aluminium Fin	= 鋁質鰭	DOG HOUSE	= Dog House	= 機電管道房
ALUM. CLADDING	= Aluminium Cladding	= 鋁覆蓋板	ELE.	= Electrical Room	= 電力機房
ALUM. AC GRILLE/ ALUM AC GRILLE	= Aluminium Air Conditioner Grille	= 鋁質冷氣機格柵	ELE./ELV.	= Electrical Room/Extra-low Voltage Cable Room	= 電力機房/特低壓電線房
ALUM. GRILLE	= Aluminium Grille	= 鋁質格柵	EL DUCT	= Electrical Duct	= 電線槽
ALUM. ARCH. FEATURE	= Aluminium Architectural Feature	= 鋁質建築裝飾	E.M.C. / EMC.	= Electrical Meter Cabinet	= 電錶櫃
ARCH. FEATURE	= Architectural Feature	= 建築裝飾	EP	= Electrical Panel	= 電力面板
A.D.	= Air Duct	= 通風槽	FLAT ROOF	= Flat Roof	= 平台
BAL.	= Balcony	= 露台	F.H.	= Fire Hydrant	= 消防龍頭
BAL. LINE ABOVE	= Balcony Line Above	= 露台線置上	F.S. INLET (T3 & BASEMENT)	= Fire Services Inlet (Tower 3 and Basement)	= 第3座及地庫消防入水掣
BATH	= Bathroom	= 浴室	F.S. INLET (T5)	= Fire Services Inlet (Tower 5)	= 第5座消防入水掣
BATH 1	= Bathroom 1	= 浴室 1	FS INLETTOWER 6	= Fire Services Inlet (Tower 6)	= 第6座消防入水掣
BATH 2	= Bathroom 2	= 浴室 2	FOYER	= Foyer	= 門廊
BATH 3	= Bathroom 3	= 浴室 3	GARDEN	= Garden	= 花園
BATH 4	= Bathroom 4	= 浴室 4	H.R. / HR	= Hose Reel	= 消防喉轆
B.R.1	= Bedroom 1	= 睡房 1	H.R. AT L/L	= Hose Reel at Low Level	= 消防喉轆(低位)
B.R.2	= Bedroom 2	= 睡房 2	INACCESSIBLE FLAT ROOF	= Inaccessible Flat Roof	= 無法進入的平台
B.R.3	= Bedroom 3	= 睡房 3	KIT.	= Kitchen	= 廚房
B.R.4	= Bedroom 4	= 睡房 4	LAV.	= Lavatory	= 洗手間
BUILDING LINE ABOVE	= Building Line Above	= 建築線置上	LIFT	= Lift	= 升降機
C.W.	= Curtain Wall	= 玻璃幕牆	LIFT CONTROL CABINET	= Lift Control Cabinet	= 升降機控制櫃
			LIFT LOBBY	= Lift Lobby	= 升降機大堂

Legend of terms and abbreviations used on the floor plans**樓面平面圖中所使用名詞及簡稱之圖例**

LIFT MACHINE ROOM	= Lift Machine Room	= 升降機機房
LIFT SHAFT	= Lift Shaft	= 升降機槽
LIGHT WELL	= Light Well	= 光井
LIV.	= Living Room	= 客廳
LOBBY	= Lobby	= 大堂
MAINTENANCE FEATURE	= Maintenance Feature	= 維修裝飾
MAINTENANCE SPACE	= Maintenance Space	= 維修空間
M. BATH	= Master Bathroom	= 主人浴室
M.B.R	= Master Bedroom	= 主人睡房
P.A.	= Planting Area	= 種植範圍
P.D.	= Pipe Duct	= 管槽
P.D. & FS	= Pipe Duct and Fire Services	= 管槽及消防裝置
POWDER ROOM	= Powder Room	= 化妝間
PRIVATE FLAT ROOF	= Private Flat Roof	= 私人平台
PRIVATE LIFT LOBBY	= Private Lift Lobby	= 私人升降機大堂
PRIVATE ROOF	= Private Roof	= 私人天台
PRIVATE PARKING SPACE	= Private Carpark Space	= 私人停車位
RC CANOPY / R.C. CANOPY	= Reinforced Concrete Canopy	= 鋼筋混凝土簷蓬
RC PLINTH / R.C. PLINTH	= Reinforced Concrete Plinth	= 鋼筋混凝土基座


SPR. INLET (T3)	= Sprinkler Inlet (Tower 3)	= 消防花灑入水掣(第3座)
SPR. CONTROL VALVES SET (T3)	= Sprinkler Control Valves Set (Tower 3)	= 消防花灑控制閥(第3座)
ST.	= Store Room	= 儲物房
STONE CLADDING	= Stone Cladding	= 石覆蓋板
TOWER 1	= Tower 1	= 第1座
TOWER 2	= Tower 2	= 第2座
TOWER 3	= Tower 3	= 第3座
TOWER 5	= Tower 5	= 第5座
TOWER 6	= Tower 6	= 第6座
TOP ROOF	= Top Roof	= 頂層天台
U.P.	= Utility Platform	= 工作平台
U.P. LINE ABOVE	= Utility Platform Line Above	= 工作平台線置上
UP	= Up	= 上
UT.	= Utility	= 工作間
WALK IN CLOSET	= Walk in Closet	= 衣帽間
WMC / W.M.C.	= Water Meter Cabinet	= 水錶櫃

Notes :

- There are architectural features, metal grilles and/or exposed pipes on the external walls of some of the floors. For details, please refer to the latest approved building plans.
- Common pipes exposed and/or enclosed in cladding are located at/adjacent to the balcony and/or flat roof and/or air-conditioner platform and/or external wall of some residential units. For details, please refer to the latest approved building plans and/or approved drainage plans.
- There are sunken slabs (for mechanical & electrical services of units above) and/or ceiling bulkheads for the air-conditioning fittings and/or mechanical & electrical services at some residential units.
- There are exposed pipes installed in some utilities and some lavatories.
- There are exposed pipes located at the upper part of some utility platforms and some balconies.
- Balconies and utility platforms are non-enclosed areas.
- Symbols of fittings and fitments shown in the floor plans such as bath tub, sink, water closet, shower, sink counter, etc. are prepared based on the latest approved building plans and are for indication of approximate location only.
- The internal ceiling height within some units may vary due to structural, architectural and/or decoration design variations.

備註：

- 部份樓層外牆範圍設有建築裝飾、金屬格柵及/或外露喉管，詳細資料請參考最新批准的建築圖則。
- 部份住宅單位的露台及/或平台及/或冷氣機平台及/或外牆上/附近設有外露及/或外牆裝飾板內藏之公用喉管，詳細資料請參考最新批准的建築圖則及/或排水設施圖。
- 部份住宅單位天花有跌級樓板(供樓上單位之機電設備)及/或假天花內裝置冷氣裝備及/或其他機電設備。
- 部份工作間及部份洗手間內裝有外露喉管。
- 部份工作平台及部份露台上方裝有外露喉管。
- 露台及工作平台為非封閉的地方。
- 樓面平面圖上所顯示的裝置符號，如浴缸、洗滌盆、座廁、花灑、洗滌盆櫃等乃按最新的經批准的建築圖則繪製，只作示意大概位置之用途。
- 部份單位之天花高度將會因應結構、建築及/或裝修設計上的需要而有差異。

Tower 1 | 2/F Floor Plan
第 1 座 | 2 樓樓面平面圖

Tower 1 | 2/F Floor Plan
第 1 座 | 2 樓樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位	
			A	B
Tower 1 第1座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	2/F 2樓	3150	3150
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)		150, 200	150, 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Tower 1 | 3/F, 5/F Floor Plan
第1座 | 3樓、5樓樓面平面圖

Tower 1 | 3/F, 5/F Floor Plan
第 1 座 | 3 樓、5 樓樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位	
			A	B
Tower 1 第1座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	3/F 3樓	3150	3150
		5/F 5樓	3400	3400
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	3/F, 5/F 3樓、5樓	150, 200	150, 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Tower 1 | Roof Floor Plan
第 1 座 | 天台樓面平面圖

Scale: 0M/ 米
比例: 5M/ 米

Tower 1 | Roof Floor Plan

第 1 座 | 天台樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位	
			A	B
Tower 1 第1座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	Roof 天台	Not applicable 不適用	Not applicable 不適用
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)		Not applicable 不適用	Not applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Tower 2 | 2/F Floor Plan
第2座 | 2樓樓面平面圖

Tower 2 | 2/F Floor Plan
第 2 座 | 2 樓樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位	
			A	B
Tower 2 第2座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	2/F 2樓	3150	3150
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)		150, 200	150, 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
- Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
- 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Tower 2 | 3/F, 5/F Floor Plan
第2座 | 3樓、5樓樓面平面圖Scale: 0M/ 米
比例：

5M/ 米

Tower 2 | 3/F, 5/F Floor Plan

第 2 座 | 3 樓、5 樓樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位	
			A	B
Tower 2 第2座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	3/F 3樓	3150	3150
		5/F 5樓	3400	3400
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	3/F, 5/F 3樓、5樓	150, 200	150, 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Tower 2 | Roof Floor Plan
第 2 座 | 天台樓面平面圖

Tower 2 | Roof Floor Plan

第 2 座 | 天台樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位	
			A	B
Tower 2 第2座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	Roof 天台	Not applicable 不適用	Not applicable 不適用
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)		Not applicable 不適用	Not applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Tower 3 | G/F Floor Plan
第3座 | 地下樓面平面圖

Tower 3 | G/F Floor Plan
第 3 座 | 地下樓面平面圖


Tower 座數	Description 描述	Floor 樓層	Flat 單位	
			A	B
Tower 3 第3座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	G/F 地下	3500	3500
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)		150, 200	150, 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Tower 3 | 1/F Floor Plan
第3座 | 1樓樓面平面圖

Tower 3 | 1/F Floor Plan

第 3 座 | 1 樓樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位	
			A	B
Tower 3 第3座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	1/F 1樓	3200	3200
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)		150, 200	150, 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Tower 3 | 2/F, 3/F, 5/F & 6/F Floor Plan
第3座 | 2樓、3樓、5樓及6樓樓面平面圖

Tower 3 | 2/F, 3/F, 5/F & 6/F Floor Plan

第 3 座 | 2 樓、3 樓、5 樓及 6 樓樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位	
			A	B
Tower 3 第3座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	2/F, 3/F, 5/F 2樓、3樓、5樓	3200	3200
		6/F 6樓	3450	3450
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	2/F, 3/F, 5/F & 6/F 2樓、3樓、5樓及6樓	150, 200	150, 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Tower 3 | Roof Floor Plan
第3座 | 天台樓面平面圖

Tower 3 | Roof Floor Plan

第 3 座 | 天台樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位	
			A	B
Tower 3 第3座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度(毫米)	Roof 天台	Not applicable 不適用	Not applicable 不適用
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板(不包括灰泥)的厚度(毫米)		Not applicable 不適用	Not applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。



Scale: 0M/ 米 5M/ 米
比例： 

Tower 5 | G/F Floor Plan

第 5 座 | 地下樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位
			A
Tower 5 第5座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	G/F 地下	3500
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)		150, 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Tower 5 | 1/F Floor Plan
第 5 座 | 1 樓樓面平面圖

Scale: 0M/ 米 5M/ 米
比例:

Tower 5 | 1/F Floor Plan
第 5 座 | 1 樓樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位
			A
Tower 5 第5座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	1/F 1樓	3200
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)		150, 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
- Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註：

- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
- 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Tower 5 | 2/F Floor Plan
第 5 座 | 2 樓樓面平面圖Scale: 0M/ 米
比例:

5M/ 米

Tower 5 | 2/F Floor Plan

第 5 座 | 2 樓樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位
			A
Tower 5 第5座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	2/F 2樓	3200
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)		150, 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Tower 5 | 3/F & 6/F Floor Plan
第 5 座 | 3 樓及 6 樓樓面平面圖Scale: 0M/ 米
比例:

5M/ 米

Tower 5 | 3/F & 6/F Floor Plan

第 5 座 | 3 樓及 6 樓樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位
			A
Tower 5 第5座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	3/F 3樓	3200
		6/F 6樓	3450
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	3/F & 6/F 3樓及6樓	150, 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Tower 5 | 5/F Floor Plan
第 5 座 | 5 樓樓面平面圖Scale: 0M/ 米
比例:

5M/ 米

Tower 5 | 5/F Floor Plan

第 5 座 | 5 樓樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位
			A
Tower 5 第5座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	5/F 5樓	3200
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)		150, 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。



Tower 5 | Roof Floor Plan

第 5 座 | 天台樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位	
			A	B
Tower 5 第5座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	Roof 天台	Not applicable 不適用	Not applicable 不適用
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)		Not applicable 不適用	Not applicable 不適用

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.



因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Tower 6 | B/F, G/F & 1/F Floor Plan

第6座 | 地庫、地下及1樓樓面平面圖



Scale: 0M/米 5M/米
比例:

Tower 6 | B/F, G/F & 1/F Floor Plan

第 6 座 | 地庫、地下及 1 樓樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位
			A
Tower 6 第6座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	B/F 地庫	3610
		G/F 地下	3500
		1/F 1樓	3200
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	B/F 地庫	200
		G/F 地下	200
		1/F 1樓	150, 300

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Tower 6 | 2/F & 3/F Floor Plan
第6座 | 2樓及3樓樓面平面圖

Tower 6 | 2/F & 3/F Floor Plan

第 6 座 | 2 樓及 3 樓樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位
			A
Tower 6 第6座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	2/F & 3/F 2樓及3樓	3200
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)		150

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.



- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Tower 6 | 5/F & 6/F Floor Plan
第6座 | 5樓及6樓樓面平面圖

Scale: 0M/米
比例: 5M/米

Tower 6 | 5/F & 6/F Floor Plan

第 6 座 | 5 樓及 6 樓樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位
			A
Tower 6 第6座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	5/F 5樓	3200
		6/F 6樓	3450
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	5/F & 6/F 5樓及6樓	150

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Tower 6 | Roof Floor Plan
第 6 座 | 天台樓面平面圖

Tower 6 | Roof Floor Plan

第 6 座 | 天台樓面平面圖

Tower 座數	Description 描述	Floor 樓層	Flat 單位
			A
Tower 6 第6座	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	Roof 天台	3150
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)		150, 200


The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.


因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Villa 1 | B/F & G/F Floor Plan
洋房 1 | 地庫及地下樓面平面圖



B/F
地庫



G/F
地下

Scale: 0M/ 米 5M/ 米
比例： 

Villa 1 | B/F & G/F Floor Plan

洋房 1 | 地庫及地下樓面平面圖

Villa Number 洋房號數	Description 描述	Floor 樓層	
		B/F 地庫	G/F 地下
Villa 1 洋房 1	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	2830	4025
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	200	200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.



- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Villa 1 | 1/F & Roof Floor Plan
洋房 1 | 1樓及天台樓面平面圖Scale: 0M/ 米
比例：

5M/ 米

Villa 1 | 1/F & Roof Floor Plan

洋房 1 | 1 樓及天台樓面平面圖

Villa Number 洋房號數	Description 描述	Floor 樓層	
		1/F 1樓	Roof 天台
Villa 1 洋房 1	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	3300	2525
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150, 175, 200, 375	150, 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Villa 2 | B/F & G/F Floor Plan
洋房 2 | 地庫及地下樓面平面圖



Scale: 0M/ 米 5M/ 米
比例： 

Villa 2 | B/F & G/F Floor Plan

洋房 2 | 地庫及地下樓面平面圖



Villa Number 洋房號數	Description 描述	Floor 樓層	
		B/F 地庫	G/F 地下
Villa 2 洋房 2	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	2910	4025
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	200	200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Villa 2 | 1/F & Roof Floor Plan
洋房 2 | 1樓及天台樓面平面圖1/F
1樓R/F
天台Scale: 0M/ 米
比例:

5M/ 米

Villa 2 | 1/F & Roof Floor Plan

洋房 2 | 1 樓及天台樓面平面圖

Villa Number 洋房號數	Description 描述	Floor 樓層	
		1/F 1樓	Roof 天台
Villa 2 洋房 2	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	3300	2525
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	200	150, 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.



2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Villa 3 | B/F & G/F Floor Plan
洋房 3 | 地庫及地下樓面平面圖



Villa 3 | B/F & G/F Floor Plan
洋房 3 | 地庫及地下樓面平面圖

Villa Number 洋房號數	Description 描述	Floor 樓層	
		B/F 地庫	G/F 地下
Villa 3 洋房 3	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	2970	4025
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	200	200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.



2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

備註：

1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Villa 3 | 1/F & Roof Floor Plan
洋房 3 | 1樓及天台樓面平面圖Scale: 0M/ 米
比例:

5M/ 米

Villa 3 | 1/F & Roof Floor Plan
洋房 3 | 1 樓及天台樓面平面圖

Villa Number 洋房號數	Description 描述	Floor 樓層	
		1/F 1樓	Roof 天台
Villa 3 洋房 3	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	3300	2525
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150, 175, 200, 375	150, 200



The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Villa 5 | B/F & G/F Floor Plan
洋房 5 | 地庫及地下樓面平面圖



Villa 5 | B/F & G/F Floor Plan
洋房 5 | 地庫及地下樓面平面圖



Villa Number 洋房號數	Description 描述	Floor 樓層	
		B/F 地庫	G/F 地下
Villa 5 洋房 5	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	3310	4025
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	200	200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Villa 5 | 1/F & Roof Floor Plan
洋房 5 | 1樓及天台樓面平面圖Scale: 0M/ 米
比例:

5M/ 米

Villa 5 | 1/F & Roof Floor Plan

洋房 5 | 1 樓及天台樓面平面圖

Villa Number 洋房號數	Description 描述	Floor 樓層	
		1/F 1樓	Roof 天台
Villa 5 洋房 5	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	3300	2525
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150, 175, 200, 375	150, 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.



2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Villa 6 | B/F & G/F Floor Plan
洋房 6 | 地庫及地下樓面平面圖



Villa 6 | B/F & G/F Floor Plan
洋房 6 | 地庫及地下樓面平面圖



Villa Number 洋房號數	Description 描述	Floor 樓層	
		B/F 地庫	G/F 地下
Villa 6 洋房 6	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	3360	4025
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	200	200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Villa 6 | 1/F & Roof Floor Plan
洋房 6 | 1樓及天台樓面平面圖1/F
1樓R/F
天台Scale: 0M/ 米
比例: 5M/ 米

Villa 6 | 1/F & Roof Floor Plan
洋房 6 | 1 樓及天台樓面平面圖

Villa Number 洋房號數	Description 描述	Floor 樓層	
		1/F 1樓	Roof 天台
Villa 6 洋房 6	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	3300	2525
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150, 175, 200, 375	150, 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Villa 8 | B/F & G/F Floor Plan

洋房 8 | 地庫及地下樓面平面圖

Villa Number 洋房號數	Description 描述	Floor 樓層	
		B/F 地庫	G/F 地下
Villa 8 洋房 8	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	3310	4025
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	200	200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.



- Notes:
1. The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.

2. Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
1. 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。

2. 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。

Villa 8 | 1/F, 2/F Floor Plan
洋房 8 | 1樓、2樓樓面平面圖

Scale: 0M/ 米 5M/ 米
比例:

Villa 8 | 1/F, 2/F Floor Plan
洋房 8 | 1 樓、2 樓樓面平面圖


Villa Number 洋房號數	Description 描述	Floor 樓層	
		1/F 1樓	2/F 2樓
Villa 8 洋房 8	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	3300	3500
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150, 175, 200, 375	150

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。



Scale: 0M/ 米 5M/ 米

比例： 

Villa 8 | Roof Floor Plan

洋房 8 | 天台樓面平面圖

Villa Number 洋房號數	Description 描述	Floor 樓層
		Roof 天台
Villa 8 洋房 8	The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	2525
	The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150, 200

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

- Notes:
- The dimensions in the floor plans are all structural dimensions in millimetre and rounded off to the nearest integer.
 - Please refer to page 18 and 19 of this sales brochure for legend of the terms and abbreviations shown in the floor plan.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

- 備註：
- 樓面平面圖之尺規所列數字為以毫米標示之建築結構尺寸，並以四捨五入至整數。
 - 平面圖中顯示之名詞及簡稱之圖例請參閱本售樓說明書第18及19頁。