


11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

TOWER 1 G/F FLOOR PLAN
第1座 地下平面圖



Description 描述	Flat 單位	
	A	D
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	1600 2000	2400 2800
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	6600 7000	6600 7000

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


Notes:

1. Floor-to-floor height refer to the height between the top surface of the structural slab of the floor and the top surface of the structural slab of its immediate upper floor.
2. The dimensions of floor plan are all structural dimensions in millimeter.
3. Please refer to page 19 of this sales brochure for notes and legend of the terms and abbreviations shown on floor plans.

備註：

1. 層與層之間的高度指該樓層之石屎地台面之高度距離。
2. 樓面平面圖之尺規所列數字以毫米標示之建築結構尺寸。
3. 樓面平面圖中顯示之備註及名詞及簡稱之圖例，請參閱本售樓說明書第19頁。

TOWER 1 1/F FLOOR PLAN
第1座 1樓平面圖



Description 描述	Flat 單位			
	A	B	C	D
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150 200			
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	2850	2850	2850	2850
	2900	2900	2900	2900
	3000	3000	3000	3000
	3050	3050	3050	3050
	3400	3400	3400	3400

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.
因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。


- Notes:
1. Floor-to-floor height refer to the height between the top surface of the structural slab of the floor and the top surface of the structural slab of its immediate upper floor.
2. The dimensions of floor plan are all structural dimensions in millimeter.
3. Please refer to page 19 of this sales brochure for notes and legend of the terms and abbreviations shown on floor plans.
- 備註：
1. 層與層之間的高度指該樓層之石屎地台面之高度距離。
2. 樓面平面圖之尺規所列數字以毫米標示之建築結構尺寸。
3. 樓面平面圖中顯示之備註及名詞及簡稱之圖例，請參閱本售樓說明書第19頁。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

TOWER 1 2/F FLOOR PLAN

第1座2樓平面圖



Description 描述	Flat 單位			
	A	B	C	D
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150 175			
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	2900	3050	3050	2900
	3000	3150	3150	3000
	3050	3400	3400	3050
	3400			3400

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes:

1. Floor-to-floor height refer to the height between the top surface of the structural slab of the floor and the top surface of the structural slab of its immediate upper floor.
2. The dimensions of floor plan are all structural dimensions in millimeter.
3. Please refer to page 19 of this sales brochure for notes and legend of the terms and abbreviations shown on floor plans.
4. Alteration(s) to Flat B and Flat C are made by way of minor works and/or exempted works under the Buildings Ordinance, please refer to the as-is part plan(s) for such alteration(s).

備註：


1. 層與層之間的高度指該樓層之石屎地台面之高度距離。
2. 樓面平面圖之尺規所列數字以毫米標示之建築結構尺寸。
3. 樓面平面圖中顯示之備註及名詞及簡稱之圖例，請參閱本售樓說明書第19頁。
4. 單位B及單位C已進行《建築物條例》下的小型工程及/或獲豁免入則的改動工程，有關改動請參閱現狀部份平面圖。

11 FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT


發展項目的住宅物業的樓面平面圖

TOWER 1 1/F AND 2/F FLAT B AS-IS PART PLAN

第1座 1樓及2樓B單位現狀部份平面圖



TOWER 1 1/F FLAT B AS-IS PART PLAN
第1座 1樓B單位現狀部份平面圖



TOWER 1 2/F FLAT B AS-IS PART PLAN
第1座 2樓B單位現狀部份平面圖



Description 描述	Flat 單位
	B
The thickness of the floor slabs (excluding plaster) of each residential property (mm) 每個住宅物業的樓板 (不包括灰泥) 的厚度 (毫米)	150
	175
The floor-to-floor height of each residential property (mm) 每個住宅物業的層與層之間的高度 (毫米)	2850
	2900
	3000
	3050
	3150
	3400

The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of reducing thickness of the structural walls on the upper floors.

因住宅物業的較高樓層的結構牆的厚度遞減，較高樓層的內部面積，一般比較低樓層的內部面積稍大。

Notes:

1. Floor-to-floor height refer to the height between the top surface of the structural slab of the floor and the top surface of the structural slab of its immediate upper floor.
2. The dimensions of floor plan are all structural dimensions in millimeter.
3. Please refer to page 19 of this sales brochure for notes and legend of the terms and abbreviations shown on floor plans.
4. Alteration(s) to Flat B is made by way of minor works and/ or exempted works under the Buildings Ordinance, please refer to the as-is part plan(s) for such alteration(s).
5. The original location of "BEDROOM 1" has been altered into a wine lounge. The relevant part has been indicated on the as-is part plan with "BEDROOM 1 (WINE LOUNGE)".

備註:

1. 層與層之間的高度指該樓層之石屎地台面之高度距離。
2. 樓面平面圖之尺規所列數字以毫米標示之建築結構尺寸。
3. 樓面平面圖中顯示之備註及名詞及簡稱之圖例，請參閱本售樓說明書第19頁。
4. 單位B已進行《建築物條例》下的小型工程及/或獲豁免入則的改動工程，有關改動請參閱現狀部份平面圖。
5. 「睡房1」之原本位置經改動後為酒廊，有關部份於現狀部份平面圖以「睡房1 (酒廊)」標示。